
6615 Eudaily-Covington Rd, College Grove

Williamson County, Tennessee, AC +/-



| Boundary 196.7 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
Hu	Huntington silt loam, phosphatic	8.2	4.16	2w
CaA	Captina silt loam, phosphatic, 0 to 2 percent slopes	0.5	0.28	2w
ArB	Armour silt loam, 2 to 5 percent slopes	1.4	0.72	2e
CaB	Captina silt loam, phosphatic, 2 to 5 percent slopes	4.9	2.52	2e
CaB2	Captina silt loam, phosphatic, 2 to 5 percent slopes, eroded	6.8	3.45	3e
CfD2	Culleoka flaggy loam, 12 to 20 percent slopes, eroded	1.9	0.96	4e
CaC2	Captina silt loam, phosphatic, 5 to 12 percent slopes, eroded	17.4	8.83	3e
ArB2	Armour silt loam, 2 to 5 percent slopes, eroded	25.1	12.76	2e
InD3	Inman silty clay loam, 12 to 20 percent slopes, severely eroded	1.1	0.57	6e
InC3	Inman silty clay loam, 5 to 12 percent slopes, severely eroded	6.9	3.5	4e
Tb	Taft silt loam, phosphatic	2.6	1.31	3w
Lp	Lindell silt loam, 0 to 2 percent slopes, occasionally flooded	33.9	17.21	2w
Me	Melvin silt loam, phosphatic	22.2	11.28	5w
HcC3	Hampshire silty clay loam, 5 to 12 percent slopes, severely eroded	4.4	2.22	4e
HcD3	Hampshire silty clay loam, 12 to 20 percent slopes, severely eroded	5.6	2.85	6e
ArC2	Armour silt loam, 5 to 12 percent slopes, eroded	4.2	2.13	3e
AtC3	Armour silty clay loam, 5 to 12 percent slopes, severely eroded	0.1	0.04	4e
HeB2	Hampshire-colbert silt loams, 2 to 5 percent slopes, eroded	0.5	0.28	2e
Rc	Rockland	0.0	0.01	8s
StC2	Stiversville silt loam, 5 to 12 percent slopes, eroded	14.9	7.56	3e
SrC3	Stiversville clay loam, 5 to 12 percent slopes, severely eroded	2.5	1.29	4e
CkD	Culleoka silt loam, 12 to 20 percent slopes	2.9	1.46	4e
TsC2	Talbott silty clay loam, 5 to 12 percent slopes, eroded	0.3	0.17	4e
StB2	Stiversville silt loam, 2 to 5 percent slopes	28.0	14.22	2e
W	Water	0.5	0.25	-
TOTALS		196.7	100%	2.9

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability Class(non-irrigated)								
Class(non migated)	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water